



PARTS LIST FOR
AIR COMPRESSOR/GENERATOR
AG2-SKD9-30M
AG2-SH13-30M, AG2-SH13-B
AG2-SR14-30M, AG2-SS14-B
AG2-SK14-30M, AG2-SK14-B
AG2-SM14-30M, AG2-SM14-B

ENGINE OIL GRADE:

HONDA/SUBARU/KOHLER/ MITM	SAE 10W-30
KOHLER DIESEL	SAE 15W-40

ENGINE OIL CAPACITY:

HONDA	37.2 oz.
SUBARU	40.5 oz.
KOHLER	44.0 oz.
Mi-T-M	32.0 oz.
KOHLER DIESEL	50.7 oz.

MAXIMUM PRESSURE:

175 PSI

COMPRESSOR OIL GRADE:

SAE30W Non-Detergent

COMPRESSOR OIL CAPACITY:

24.7 oz.

WATTS W/COMPRESSOR:

3000

WATTS W/O COMPRESSOR:

3500

This Parts Listing has been compiled for your benefit. You can be assured your Mi-T-M Air Compressor/Generator was constructed and designed with quality and performance in mind. Each component has been rigorously tested to insure the highest level of acceptance.

The contents of this Parts Listing are based on the latest product information available at the time of publication. Mi-T-M reserves the right to make changes in price, color, materials, equipment, specifications or models at any time without notice.

WARNING

THIS IS A PROFESSIONAL AIR COMPRESSOR/GENERATOR. CAUTION SHOULD BE OBSERVED WHEN USING OR REPAIRING THIS UNIT! READ AND FOLLOW THE SAFETY WARNINGS LISTED BELOW BEFORE ATTEMPTING ANY REPAIRS ON THIS AIR COMPRESSOR/GENERATOR!

SAFETY WARNINGS

1. NEVER alter or modify the equipment. Be sure any accessory items and system components being used will withstand the pressure developed. Serious injury may occur from an air compressor malfunction or exploding accessories if incorrect system components, attachments or accessories are used. NEVER exceed manufactures maximum allowable pressure rating of attachments. Use only genuine Mi-T-M parts for repair of your air compressor/ generator. Failure to do so can cause hazardous operating conditions and will VOID warranty.
2. NEVER make adjustments on machinery while the unit is connected to the engine without first removing the ignition cable from the spark plug. Turning over the machinery by hand during adjustment or cleaning might start the engine and machinery with it, causing serious injury to the operator.
3. Know how to stop and bleed pressures quickly. Be thoroughly familiar with controls. Do not operate without protective covers/ guards.
4. Before servicing the unit, turn unit off, relieve the pressure and allow the unit to cool down. Service in a clean, dry, flat area. Block the wheels to prevent the unit from moving. Be especially careful to properly dispose of any flammable materials.
5. After testing the machine, DO NOT leave the pressurized unit unattended. Shut off the unit and release pressure before leaving.


Table of Contents

SPECIFICATIONS.....	3
TANK ASSEMBLY FOR AG2-SH13-30M , AG2-SR14-30M, AG2-SK14-30M AND AG2-SR14-30M	4
TANK ASSEMBLY FOR AG2-SKD9-30M	6
TANK ASSEMBLY FOR AG2-SH13-B , AG2-SS14-B, AG2-SK14-B AND AG2-SM14-B.....	8
TWO STAGE COMPRESSOR (3-0298)	10
ALTERNATOR (32-0872).....	12
PILOT VALVE (22-0270).....	14

SPECIFICATIONS

MODEL NUMBER	AG2-SH13-30M*/AG2-SH13-B**	AG2-SR14-30M*/AG2-SS14-B**	AG2-SK14-30M*/AG1-SK14-B**	AG2-SM14-30M*/AG2-SM14-B**	AG2-SKD9-30M*
Engine:	Honda	Subaru	Kohler	Mi-T-M	Kohler
Model	GX390	EX40	CH440	420cc	KD440
Oil Type	SAE10W-30				SAE15W-40
Oil Capacity	37 oz.	40.5 oz.	44 oz.	32.0 oz.	48 oz.
Low Oil Protection	Oil Alert™	Oil Sensor	Oil Sentry™	Oil Alert™	Oil Sensor
Fuel Type	Unleaded Gasoline 86 Octane Minimum				Low Sulfur Diesel
Fuel Capacity	1.61 Gallon	1.85 Gallon	1.80 Gallon	1.32 Gallon	
Maximum No Load RPM	3600				
Generator:					
Watts w/ Compressor	3000				1800
Watts w/o Compressor	3500				3000
Compressor Pump:					
Number of Cylinders	2				
Compression Stages	2				
First Stage Bore	2.17"				
Second Stage Bore	3.94"				
Stroke	3.36"				
RPM	750				
Flywheel	16.5"				
Lubrication	Splash				
Oil Quantity	24.7 oz.				
Oil Type	30 W Non Detergent				
Crankcase	Cast Iron				
Bearings	Ball				
Cylinder	Cast Iron				
Valves	Reed				
Head	Aluminum				
Filter	Canister				
Pilot Valve Setting:					
Cut-out	175 PSI				
Cut-in	145 PSI				
Air Tank:					
Capacity	*30 Gallons / **No Tank				
Performance:					
CFM @ 40 PSI	17.0				
CFM @ 100 PSI	16.3				
CFM @ 175 PSI	15.7				
Maximum Pressure	175 PSI				
Pump-up Time: 0-175 PSI	1 minute and 44 seconds				
Recovery Time: 145-175 PSI	15 seconds				
Weight:					
Net	*435 lbs / **325 lbs				489
Shipping	*500 lbs / **389 lbs				554
Dimensions:					
Basic L x W x H	*40" x 24.5" x 45" / **46.5" x 18" x 26"				
Shipping L x W x H	*47" x 32" x 48.5" / **57.25" x 35.5" x 31"				

TANK ASSEMBLY FOR AG2-SH13-30M , AG2-SR14-30M, AG2-SK14-30M AND AG2-SR14-30M




AG2-SH13_SK14_SM14_SR14-30M 042114 ALC

TANK ASSEMBLY

ITEM	DESCRIPTION	PART #	QTY	ITEM	DESCRIPTION	PART #	QTY
1	PETCOCK	23-0312	1	44	BELTGUARD FRONT	6-0103A01	1
2	DECAL - MI-T-M (SEE 71-2002)	N/A	1	45	DECAL - MAINTENANCE (SEE 71-2002)	N/A	1
3	DECAL - TANK DRAIN (SEE 71-2002)	N/A	2	46	FASTENER	33-0197	2
4	DECAL - MI-T-M STRIPE (SEE 71-2002)	N/A	1	47	DECAL- WARNING (SEE 71-2002)	N/A	1
5	PLUG	39-0016	1	48	DECAL - #2M (SEE 71-2002)	N/A	1
6	TANK ASSEMBLY	12-0209A01	1	49	DECAL - OPERATIONS (SEE 34-2002)	N/A	1
7	FOOT	20-1149A01	2	50	SHEAVE	10-0080	1
8	LOCKWASHER	29-0007	16	51	BUSHING	9-0033	1
9	BOLT	27-0067	25	52	DECAL - WARNING (SEE 71-2002)	N/A	1
10	DECAL- SPEC'S (SEE 71-2002)	N/A	1	53	BOLT	27-9524	3
11	LOCKNUT	30-0157	13	54	BELTGUARD BACK	6-0102A01	1
12	WASHER	28-0022	5	55	WASHER	28-0003	20
13	DECAL - 115 VOLT (SEE 71-2002)	N/A	2	56	BOLT	27-0066	2
14	DECAL - REWIND 420CC (SEE 71-2002) SM14	N/A	1	57	90° ELBOW FITTING	24-0074	1
15	DECAL - RISK OF BURNS (SEE 71-2002)	N/A	1	58	PUMP	3-0298	1
16	DECAL - CHECK OIL	N/A	2	59	BOLT	27-0121	4
17	DECAL - RISK OF FIRE (SEE 71-2002)	N/A	1	60	BASEPLATE	5-0290A01	1
18	KEY	43-0078	1	61	TIGHTNER BRACKET	20-0812A01	1
19	ENGINE - HONDA SH13	1-0086	1	62	HOSE	15-0275	1
-	ENGINE - ROBIN SR14	1-0176	1	63	BARB	23-0045	1
-	ENGINE - KOHLER SK14	1-0208	1	64	TEE	23-0235	1
-	ENGINE - MI-T-M SM14	1-0199	1	65	CONNECTOR	23-0072	1
20	LOCKNUT	30-0159	8	66	90° ELBOW FITTING	24-0272	1
21	WASHER	28-0023	24	67	PILOT VALVE	22-0270	1
22	BOLT	27-0121	4	68	PLUG	24-0082	3
23	DECAL- GROUND PICTORIAL (SEE 71-2002)	N/A	1	69	DECAL - OPERATIONS (SEE 71-2002)	N/A	1
24	DECAL - RISK OF SHOCK (SEE 71-2002)	N/A	1	70	BOLT	27-0117	4
25	KEY	43-0073	1	71	LOCKWASHER	29-0008	4
26	GENERATOR - AR1-105/2	32-0872	1	72	ISOLATOR	14-0109	4
27	BOLT	27-0068	2	73	HOSE CLAMP	42-0011	2
28	FILTER CANISTER	19-0237	1	74	HOSE BARB	23-0105	1
29	AIR FILTER	19-0226	1	75	MANIFOLD BLOCK	51-0033	1
30	BOLT	27-0576	2	76	REDUCER	23-0017	1
31	TIGHTENER BRACKET	20-0650A01	1	77	PRESSURE RELIEF VALVE	22-0267	1
32	DECAL- SILVER STICKER	N/A	1	78	PRESSURE GAUGE	22-0271	2
33	SPACER	33-0425	2	79	REDUCER	23-0111	2
34	BRACKET	13-0189A01	1	80	NIPPLE	24-0175	2
35	BOLT	27-8071	2	81	REGULATOR	22-0231	1
36	DECAL - RISK OF BURNS (SEE 71-2002)	N/A	3	82	QC SOCKET	17-0068	2
37	EDGING *(THREE FEET REQUIRED)	33-0020	1	83	BOLT	27-0019	4
38	SHEAVE	10-0042	1	84	MANIFOLD BLOCK	51-0039	1
39	BUSHING	9-0005	1	85	LOCKNUT	30-0155	4
40	BOLT	27-0015	4	86	PLUG	24-0034	1
41	BELT	11-0016	1	87	HOSE *(TWO FEET REQUIRED)	15-0007	1
42	BELT	11-0075	1	-	DECAL SET/AG1/AG2	71-2002	1
43	EDGING *(SIX FEET REQUIRED)	33-0020	1	*MUST ORDER IN ONE FOOT LENGTHS			

TANK ASSEMBLY FOR AG2-SKD9-30M





AG2-SKD9-30M 072116 RJA

TANK ASSEMBLY

ITEM	DESCRIPTION	PART #	QTY	ITEM	DESCRIPTION	PART #	QTY
1	TANK ASSEMBLY	12-0209A01	1	46	FASTENER	33-0197	2
2	PETCOCK	23-0312	1	47	DECAL- WARNING (SEE 71-2002)	N/A	1
3	DECAL - MI-T-M	N/A	1	48	DECAL - #2M	N/A	1
4	DECAL - MI-T-M STRIPE	N/A	1	49	DECAL - OPERATIONS (SEE 34-2002)	N/A	1
5	PLUG	39-0016	1	50	BUSHING	9-0033	1
6	FOOT	20-1149A01	2	51	SHEAVE	10-0080	1
7	LOCKWASHER	29-0007	16	52	DECAL - WARNING (SEE 71-2002)	N/A	1
8	BOLT	27-0067	25	53	BOLT	27-9524	3
9	DECAL- SILVER STICKER	N/A	1	54	BELTGUARD BACK	6-0102A01	1
10	BASEPLATE	5-0290A01	1	55	WASHER	28-0003	20
11	TIGHTENER BRACKET	20-0650A01	1	56	BOLT	27-0066	2
12	WASHER	28-0023	24	57	90° ELBOW FITTING	24-0074	1
13	BOLT	27-0576	2	58	PUMP	3-0298	1
14	DECAL - MAINTENANCE (SEE 71-2002)	N/A	1	59	TIGHTNER BRACKET	20-0812A01	1
15	LOCKNUT	30-0157	13	60	CAUTION-HEARING PROTECTION REQ	34-3479	1
16	WASHER	28-0022	5	61	DECAL- SPEC'S	N/A	1
17	GENERATOR - AR1-105/2	32-0872	1	62	BARB	23-0045	1
18	DECAL - 115 VOLT (SEE 71-2002)	N/A	1	63	TEE	23-0235	1
19	DECAL - 230 VOLT (SEE 71-2002)	N/A	1	64	CONNECTOR	23-0072	1
20	DECAL - CHECK OIL	N/A	2	65	PILOT VALVE	22-0270	1
21	DECAL - RISK OF BURNS (SEE 71-2002)	N/A	1	66	HOSE	15-0275	1
22	DECAL - RISK OF FIRE (SEE 71-2002)	N/A	1	67	90° ELBOW FITTING	24-0272	1
23	ENGINE	1-0237	1	68	DECAL - OPERATIONS (SEE 71-2002)	N/A	1
24	HOSE CLAMP	42-0018	1	69	DECAL - TANK DRAIN (SEE 71-2002)	N/A	1
25	EXHAUST DIVERTER	N/A	1	70	HOSE CLAMP	42-0011	2
26	BOLT	27-0121	8	71	HOSE BARB	23-0105	1
27	LOCKNUT	30-0159	8	72	MANIFOLD BLOCK	51-0033	1
28	DECAL- GROUND PICTORIAL (SEE 71-2002)	N/A	1	73	REDUCER	23-0017	1
29	DECAL - RISK OF SHOCK (SEE 71-2002)	N/A	1	74	PRESSURE RELIEF VALVE	22-0267	1
30	KEY	43-0073	1	75	PRESSURE GAUGE	22-0271	2
31	BOLT	27-0068	2	76	REDUCER	23-0111	2
32	FILTER CANISTER	19-0237	1	77	NIPPLE	24-0175	2
33	AIR FILTER	19-0226	1	78	REGULATOR	22-0231	1
34	SPACER	33-0425	2	79	PLUG	24-0082	3
35	BRACKET	13-0189A01	1	80	QC SOCKET	17-0068	2
36	BOLT	27-8071	2	81	BOLT	27-0019	4
37	DECAL - RISK OF BURNS (SEE 71-2002)	N/A	3	82	MANIFOLD BLOCK	51-0039	1
38	EDGING *(THREE FEET REQUIRED)	33-0020	1	83	LOCKNUT	30-0155	4
39	SHEAVE	10-0042	1	84	PLUG	24-0034	1
40	BUSHING	9-0005	1	85	HOSE *(TWO FEET REQUIRED)	15-0007	1
41	BOLT	27-0015	4	86	ISOLATOR	14-0109	4
42	BELT	11-0016	1	87	LOCKWASHER	29-0008	4
43	BELT	11-0075	1	88	BOLT	27-0117	4
44	EDGING *(SIX FEET REQUIRED)	33-0020	1	-	DECAL SET - AG1/AG2	71-2002	1
45	BELTGUARD FRONT	6-0103A01	1	*MUST ORDER IN ONE FOOT LENGTHS			

TANK ASSEMBLY FOR AG2-SH13-B , AG2-SS14-B, AG2-SK14-B AND AG2-SM14-B




DETAIL A

AG2-SH13_SK14_SM14_SS14-B 051914 ALC

				TANK ASSEMBLY				AG2-SH13_SK14_SM14_SS14-B 042114 ALC			
ITEM	TITLE	PART #	QTY		ITEM	TITLE	PART #	QTY			
1	DECAL - Mi-T-M	34-2169	1		42	BRACKET	13-0189A01	1			
2	BASEPLATE	5-0290A01	1		43	BOLT	27-8071	2			
3	DECAL- SPEC'S	N/A	1		44	DECAL - CHECK OIL	N/A	2			
4	BOLT	27-0117	4		45	EDGING *(NINE FEET REQUIRED)	33-0020	1			
5	LOCKWASHER	29-0008	4		46	BELT	11-0075	1			
6	WASHER	28-0023	24		47	BOLT	27-9524	3			
7	ISOLATOR	14-0109	4		48	DECAL - WARNING (SEE 71-2002)	N/A	1			
8	DECAL - RISK OF BURNS (SEE 71-2002)	N/A	3		49	SHEAVE	10-0080	1			
9	TIGHTNER BRACKET	20-0812A01	1		50	BUSHING	9-0033	1			
10	BOLT	27-0576	2		51	BOLT	27-0015	4			
11	PLUG	24-0082	3		52	DECAL - OPERATIONS (SEE 71-2002)	N/A	1			
12	PILOT VALVE	22-0270	1		53	DECAL - CAUTION/WARNING/DANGER (SEE 71-2002)	N/A	1			
13	90° ELBOW FITTING	24-0272	1		54	DECAL - #2M (SEE 71-2002)	N/A	1			
14	HOSE	15-0275	1		55	FASTENER	33-0197	2			
15	FILTER CANISTER	19-0237	1		56	DECAL- WARNING (SEE 71-2002)	N/A	1			
16	AIR FILTER	19-0226	1		57	DECAL - MAINTENANCE (SEE 71-2002)	N/A	1			
17	BOLT	27-0121	8		58	BELT	11-0016	1			
18	LOCKNUT	30-0159	8		58	BUSHING	9-0005	1			
19	PUMP	3-0298	1		60	SHEAVE	10-0042	1			
20	90° ELBOW FITTING	24-0074	1		61	BELTGUARD BACK	6-0102A01	1			
21	SPACER	33-0425	2		63	DECAL - RISK OF FIRE (SEE 71-2002)	N/A	1			
22	BOLT	27-0066	2		62	DECAL - RISK OF BURNS (SEE 71-2002)	N/A	1			
23	WASHER	28-0003	4		64	KEY	43-0078	1			
24	LOCKNUT	30-0157	5		65	ENGINE - HONDA	1-0086	1			
25	PRESSURE RELIEF VALVE	22-0474	1		-	ENGINE - ROBIN 404cc RECOIL	1-0176	1			
26	REDUCER	23-0017	1		-	ENGINE - Mi-T-M 420cc RECOIL	1-0199	1			
27	PLUG	24-0009	1		-	ENGINE - KOHLER 429cc RECOIL	1-0208	1			
28	MANIFOLD BLOCK	51-0033	1		66	DECAL - RISK OF SHOCK (SEE 71-2002)	N/A	1			
29	REGULATOR	22-0231	1		67	GENERATOR - AR1-105/2	32-0872	1			
30	PRESSURE GAUGE	22-0271	1		68	DECAL - 115 VOLT (SEE 71-2002)	N/A	2			
31	REDUCER	23-0111	1		69	DECAL- SILVER STICKER	N/A	1			
32	QC SOCKET	17-0068	2		70	TIGHTENER BRACKET	20-0650A01	1			
33	BOLT	27-0019	4		71	DECAL - REWIND 420CC (SM14)	N/A	1			
34	HOSE *(TWO FEET REQUIRED)	15-0007	1		72	KEY	43-0073	1			
35	LOCKNUT	30-0155	4		73	WASHER	28-0022	5			
36	PLUG	24-0034	1		74	BOLT	27-0068	2			
37	MANIFOLD BLOCK	51-0039	1		75	BOLT	27-0067	1			
38	NIPPLE	24-0175	2		76	BARB	23-0045	1			
39	HOSE CLAMP	42-0011	2		77	TEE	23-0124	1			
40	HOSE BARB	23-0105	1		78	ADAPTER	23-0365	1			
41	BELTGUARD FRONT	6-0103A01	1		-	DECAL SET-AG1/AG2 MITM	71-2002	1			
*MUST ORDER IN ONE FOOT LENGTHS											

TWO STAGE COMPRESSOR (3-0298)




3-0298 102616 JJR

PUMP ASSEMBLY


ITEM	DESCRIPTION	PART #	QTY	ITEM	DESCRIPTION	PART #	QTY
1	BOLT	27-8043	9	27	BOLT	27-8061	7
2	COPPER WASHER	28-1059	15	28	REAR CRANKCASE COVER	46-1278	1
3	CYLINDER HEAD	46-1272	1	29	GASKET - REAR CRANKCASE COVER	N/A	1
4	LP SAFETY VALVE	22-0362	1	30	OBSTRUCT OIL NET	46-1279	1
5	65° OUTLET ELBOW W/PORT	24-0304	1	31	OIL LEVEL SIGHT GLASS	46-1280	1
6	INTERCOOLER TUBE	46-1273	1	32	O-RING	25-0150	1
7	65° OUTLET ELBOW	24-0305	1	33	PLUG	24-0009	1
8	KIT - VALVE PLATE ASSY - (INC. 9-16)	70-0473	1	34	O-RING	25-0160	1
9	GASKET - VALVE PLATE (UPPER)	N/A	1	35	OIL FILL CAP	46-1281	1
10	SCREW	N/A	4	36	BALL BEARING	48-0024	2
11	UPPER VALVE SEAT	N/A	1	37	PUMP CRANKSHAFT	46-1282	1
12	HP VALVE REED	N/A	2	38	KEY	43-0125	1
13	LP VALVE REED	N/A	4	39	OIL SEAL	26-0302	1
14	GASKET - VALVE PLATE (MIDDLE)	N/A	1	40	FLYWHEEL	10-0139	1
15	LOWER VALVE SEAT	N/A	1	41	WASHER	N/A	1
16	GASKET - VALVE PLATE (LOWER)	N/A	1	42	KIT - HP CONNECTING ROD ASSEMBLY (INC. 49)	70-0468	2
17	BOLT	27-8032	1	43	PISTON	46-1283	1
18	LOCKWASHER	29-0054	1	44	PISTON SNAP RING	46-1284	4
19	CYLINDER	46-1274	1	45	PISTON PIN	46-1285	1
20	NUT	30-7203	6	46	KIT - HP PISTON RING	70-0469	1
21	LOCKWASHER	29-0055	7	47	KIT - LP PISTON RING	70-0470	1
22	GASKET - CYLINDER	N/A	1	48	PISTON PIN	46-1286	1
23	STUD	27-8991	6	49	PISTON	46-1287	1
24	PUMP CRANKCASE	46-1275	1	50	CONNECTING ROD BUSHING	46-1288	4
25	BREATHING ASSY	46-1276	1	-	KIT - PUMP GASKET - (INC. 9, 14, 16, 22, 29)	70-0472	1
26	BREATHING PIPE	46-1277	1				

ALTERNATOR (32-0872)



32-0872 112614 RJA			
ALTERNATOR (32-0872)			
ITEM	DESCRIPTION	PART #	QTY
1	120V-30A RECEPTACLE	32-1081	1
2	END COVER - CAP ONLY	52-0098	1
3	PLUG	39-0234	1
4	CIRCUIT BREAKER	32-1083	1
5	ALTERNATOR CAP	52-0075	1
6	TERMINAL SPADE	32-0878	4
7	TERMINAL PLUG	52-0077	1
8	SCREW	27-8187	2
9	LOCKWASHER	29-1013	2
10	TERMINAL RING	32-0002	2
11	CAPACITOR	32-0873	1
12	NUT	30-0058	4
13	LOCKWASHER	29-0110	4
14	BRACKET	52-0094	1
15	FAN	52-0093	1
16	FLANGE	52-0097	1
17	BOLT	27-8032	4
18	BRACKET	52-0095	1
19	SCREW	27-9593	2
20	NUT	30-6001	2
21	BEARING	52-0096	1
22	WASHER	28-0003	1
23	BOLT	27-9584	1
24	TERMINAL FORK	32-0034	3

PILOT VALVE (22-0270)



22-0270-062905-DLG

PILOT VALVE (22-0270)			
REF #	DESCRIPTION	PART #	QTY
1	Inlet Port Fitting	N/A	1
2	O-ring (See 70-0241)	N/A Sep.	3
3	Main Body	N/A	1
4	Piston Assembly-Unloader Valve (See 70-0241)	N/A Sep.	1
5	Spring-Unloader Valve (See 70-0241)	N/A Sep.	1
6	Spring Seat-Unloader Valve	N/A	1
7	Cap	N/A	1
8	Discharge Port Fitting	N/A	1
9	Spring Seat Assembly-Check Valve	N/A	1
10	Spring-Check Valve (See 70-0241)	N/A Sep.	1
11	Piston-Check Valve (See 70-0241)	N/A Sep.	1
12	Muffler	23-0419	1
13	Stem Unloader (See 70-0241)	N/A Sep.	1
14	Diaphragm (See 70-0241)	N/A Sep.	1
15	O-ring (See 70-0241)	N/A Sep.	1
16	Screen (See 70-0241)	N/A Sep.	1
17	Screw w/Washer	N/A	4
18	Pilot Body	N/A	1
19	Ball (See 70-0241)	N/A Sep.	1
20	O-ring (See 70-0241)	N/A Sep.	1
21	Differential Adjusting Locknut	N/A	1
22	Differential Adjusting Nut	N/A	1
23	Pressure Adjusting Locknut	N/A	1
24	Pressure Adjusting Toggle Assembly (See 70-0241)	N/A Sep.	1
25	Red Toggle Cover	N/A	1
	Repair Kit (Includes 4-5, 10-11, 13-16, 19-20, 24 and 3 each 2)	70-0241	

Manufactured by Mi-T-M
50 Mi-T-M Drive, Peosta IA 52068
563-556-7484/ Fax 563-556-1235